

**Government Polytechnic, Ratnagiri**  
**DSR List 2020**  
**Department of Pharmacy**

| Sr No | NAME OF the equipment with broad specification and date   | DSR Number                          | Available Qty | Cost of Equipment | No of units not in working condition as on date | Reasons for units not in working condition |
|-------|---|-------------------------------------|---------------|-------------------|---|--|
| 1     | <b>GLASS DISTILATION ASSEMBLY</b><br>Dinesh model "DGA-01" 05 Liters single stage 11/DTE/522/5330 DT.17/02/1998 & GPR/STR/3959  | GPR/DPH/DSR No.1/ page 02/01        | 2             | 19585             | 1   | Minor Breakage                             |
| 2     | <b>ANALYTICAL BALANCE Model</b><br>VAB-01,200gm capacity 11/DTE/456/8840  | GPR/DPH/DSR No.1/ page 03/02        | 5             | 9860              | 5   | Out of repair                              |
| 3     | <b>ANALYTICAL SINGLE PAN BALANCE</b> Capacity 200gm, sensitivity 0.1gm  | GPR/DPH/DSR No.1/ page 04/03        | 1             | 8686              | 0   |  |
| 4     | <b>ARSENIC DETERMINATION APP.</b><br>Capacity of 100ml, Indian bottle arsenic tube in two parts with rubber cock. GPR/STR/828   | GPR/DPH/DSR No.1/ page 05/04        | 10            | 5450              | 3   | Minor Breakage                             |
| 5     | <b>ATOMIC MODEL SET</b> 1) Senior set 370 balls & 150 connecting lags, An illustrated instruction around with each set, 2) Junior set 75 balls & 30 connecting lags 11/DTE/7286 DT.24/02/1998 | GPR/DPH/DSR No.1/ page 06/05        | 5 Set         | 46800             | 0   |  |
| 6     | <b>BEAKER TONG S.S.200ML</b><br>GPR/STR/1138 DT.20/03/1999 & GPR/STR/1264   | GPR/DPH/DSR No.1/ page 07/06 & 6-A  | 20            | 2140              | 0   |  |
| 7     | <b>BRASS TEST TUBE HOLDER</b><br>GPR/5334 DT.13/11/1998   | GPR/DPH/DSR No.1/ page 08/07        | 36            | 900               | 0   |  |
| 8     | <b>BURETTE HOLDER</b> H.D.Ply thylene single GPR/STR/1137 DT.20/03/1999 & GPR/STR/1266 DT.30/03/1999  | GPR/DPH/DSR No.1/ page 09/08 & 8-A  | 20            | 910               | 0   |  |
| 9     | <b>BURETTE STAND</b> GPR/STR/1267 DT.30/03/1999 & GPR/Pharmacy/09/370 dt.20/07/2009   | GPR/DPH/DSR No.1/ page 10/09 & 9-A  | 40            | 6235              | 0   |  |
| 10    | <b>CLAMP FISHER DOUBLE BURRETE</b> GPR/STR/1421 DT.27/03/1998   | GPR/DPH/DSR No.1/ page 11/10        | 15            | 900               | 0   |  |
| 11    | <b>CLINICAL THERMOMETER</b><br>GPR/STR/829 DT.09/03/2001  | GPR/DPH/DSR No.1/ page 12/11        | 5             | 320               | 5   | Breakage                                   |
| 12    | <b>CRUCIBLE TONG 6"</b><br>GPR/STR/834 DT.09/03/2001  | GPR/DPH/DSR No.1/ page 13/12 & 12-A | 20            | 660               | 5   | Breakage                                   |
| 13    | <b>DE-MINERALISER</b><br>"AQUAON" MAKE Model TBD 11/DTE/484 DT.12/3/1198  | GPR/DPH/DSR No.1/ page 14/13        | 1             | 9485              | 0   |  |
| 14    | <b>DIGITAL PH METER 3 1/2 DiGIT</b><br>Model 511 11/DTE/CPHK/455/97-98/R/5348 DT.17/02/1998   | GPR/DPH/DSR No.1/ page 15/14        | 2             | 7070              | 2   |  |
| 15    | <b>DIGITAL PH METER</b><br>EI MAKE 11/DTE/89-99/8491 DT.20/02/1999  | GPR/DPH/DSR No.1/ page 16/15        | 1             | 5000              | 1   |  |
| 16    | <b>DISH TONG S.S.Holding Cap.65 to 150 ml</b> GPR/STR/1137 DT.20/03/1999 & GPR/STR/1266 DT.30/03/1999   | GPR/DPH/DSR No.1/ page 17/16 & 16-A | 20            | 4600              | 15  | Breakage                                   |
| 17    | <b>ELECTRONIC DIGITAL BALANCE</b><br>500 gm GPR/WS/STR 96-97  | GPR/DPH/DSR No.1/ page 18/17        | 1             | 14300             | 1   | Out of repair                              |

|    |   |  |    |       |    |                          |
|----|---|--|----|-------|----|--------------------------|
| 18 | <b>ELECTRONIC DIGITAL BALANCE</b><br>1 KG.Pyramid make pan 185 mm<br>GPR/WS/STR 96-97   | GPR/DPH/DSR No.1/ page 19/18           | 1  | 15480 | 1  | Out of repair            |
| 19 | <b>EXHAUST FAN 12"</b> 230 volts AC<br>SUPPLY GPR/STR/1268<br>DT.30/03/1999   | GPR/DPH/DSR No.1/ page 20/19           | 6  | 9540  | 4  | Maintainance<br>Required |
| 20 | <b>FLASK TONGS SS</b>   | GPR/DPH/DSR No.1/ page 21/20 &<br>20-a | 20 | 2140  | 12 |                          |
| 21 | <b>Funnel Holder (HDP single)</b>   | GPR/DPH/DSR No.1/ page 22/21           | 20 | 680   | 2  |                          |
| 22 | <b>HOT PLATE</b> Top CI & Thick MS<br>body.<br>Top size 9"  | GPR/DPH/DSR No.1/ page 23/22           | 1  | 1760  | 1  |                          |
| 23 | <b>IR Moisture Balance</b> (Model<br>DGB-01<br>CAP-30 gms Accuracy 0.001 gms)   | GPR/DPH/DSR No.1/ page 24/23           | 1  | 7188  | 1  |                          |
| 24 | <b>METZER BIOMEDICAL WATER<br/>STEEL MBE 408,6 Liters</b><br>Cap.rating 4.0 kw  | GPR/DPH/DSR No.1/ page 25/24           | 2  | 17160 |    |                          |
| 25 | <b>NESSLER TUBE STAND<br/>Six holes</b>   | GPR/DPH/DSR No.1/ page 26/25           | 3  | 225   |    |                          |
| 26 | <b>PAIR OF TONGUE SPATULA</b>   | GPR/DPH/DSR No.1/ page 27/26           | 30 | 2250  |    |                          |
| 27 | <b>PHOTO ELECTRIC<br/>COLORIMETER</b> with 05 filter<br>digital & 08 digital GPR/STR/918<br>DT.01/02/2001,GPR/STR/2804<br>DT.09/08/2002 & GPR/STR/3959                    | GPR/DPH/DSR No.1/ page 28/27           | 3  | 23530 | 1  | Maintainance<br>Required |
| 28 | <b>PHOTO FLUOMETER<br/>11/DTE/CPHK/481/97-<br/>98/R/8738 DT.16/03/1198</b>  | GPR/DPH/DSR No.1/ page 29/28           | 1  | 1926  | 0  |                          |
| 29 | <b>PHYSICAL BALANCE 200 gm</b> with<br>weight boxes GPR/STR/1274<br>DT.30/03/1999   | GPR/DPH/DSR No.1/ page 30/29           | 4  | 5900  | 0  |                          |
| 30 | <b>PIPETTE STAND</b><br>Vertical with heavy base  | GPR/DPH/DSR No.1/ page 31/30           | 4  | 1420  | 0  |                          |
| 31 | <b>PIPETTE WASHER WITH<br/>SYOHON</b>   | GPR/DPH/DSR No.1/ page 32/31           | 1  | 2890  |    |                          |
| 32 | <b>PLATINUM WIRE WITH<br/>THREADED ROD</b>  | GPR/DPH/DSR No.1/ page 33/32           | 10 | 3070  |    |                          |
| 33 | <b>POLARIMETER 11/DTE/CPHK<br/>211/98-99/R/8475<br/>DT.30/03/1999</b>   | GPR/DPH/DSR No.1/ page 34/33 &<br>30-A | 1  | 10600 | 0  |                          |
| 34 | <b>REFRACTOMETER</b> (with<br>improved 0 piece eye piece<br>reprective index range 1300 to<br>1700 suger sede deluxe Model<br>with dipited tap.display<br>11/DTE/513/5479 | GPR/DPH/DSR No.1/ page 35/34           | 1  | 14475 | 0  |                          |
| 35 | <b>SINTERED GLASS FILTER<br/>BACATERIA PROOF</b>  | GPR/DPH/DSR No.1/ page 36/35           | 20 | 140   |    |                          |
| 36 | <b>THERMOMETER<br/>0 TO 100 DEGREE CELCIUS</b>  | GPR/DPH/DSR No.1/ page 36/36           | 2  | 160   |    |                          |
| 37 | <b>THERMOMETER<br/>110 X 1 C C</b>  | GPR/DPH/DSR No.1/ page 38/37           | 15 | 795   |    |                          |
| 38 | <b>THERMOMETER<br/>0 TO 250 DEGREE CELCIUS</b>  | GPR/DPH/DSR No.1/ page 39/38           | 2  | 160   |    |                          |

|    |  |   |    |        |    |                          |
|----|--|---|----|--------|----|--------------------------|
| 39 | <b>THERMOMETER<br/>100 DEGREE CELCIUS</b>  | GPR/DPH/DSR No.1/ page 40/39                | 2  | 160    |    |                          |
| 40 | <b>TREPLE BEAM<br/>BALANCE<br/>11/DTE/8920<br/>DT.21/03/98,11/DTE/7240<br/>DT.24/02/1998 7</b>   | GPR/DPH/DSR No.1/ page 42/41                | 31 | 44610  | 20 | Maintainance<br>Required |
| 41 | <b>TRIPOD STAND</b>  | GPR/DPH/DSR No.1/ page 44/42                | 66 | 2640   |    |                          |
| 42 | <b>WATER BATH<br/>(COPPER)</b>   | GPR/DPH/DSR No.1/ page 45/43,<br>43-A AND B | 54 | 13390  |    |                          |
| 43 | <b>WATER STEEL STAGE</b> (Distilled<br>water steel) GPR/WS/STR 96-97   | GPR/DPH/DSR No.1/ page 46/44                | 1  | 9890   | 0  |                          |
| 44 | <b>WEIGHT BOX FRACTIONAL<br/>1 MG TO 500 MG</b>  | GPR/DPH/DSR No.1/ page 47/45                | 10 | 2000   |    |                          |
| 45 | <b>FILTRATION<br/>APPARATUS</b> size 47mm with all<br>accessories filter flast Borosil for<br>above 1000ml with 1/3 H.P.<br>Vaccume pump GPR/STR/1626<br>DT.12/05/2004 | GPR/DPH/DSR No.1/ page 48/46                | 1  | 13705  | 0  |                          |
| 46 | <b>BUNSEN BURNER<br/>FOR LPG OPEN TOP</b>  | GPR/DPH/DSR No.1/ page 49/47                | 30 | 5100   |    |                          |
| 47 | <b>ANALYTICAL BALANCE</b> (Cap<br>200gm) with 100gm weight box<br>GPR/STR/5011 DT.31/12/2005   | GPR/DPH/DSR No.1/ page 50/48                | 6  | 23310  | 3  | Maintainance<br>Required |
| 48 | <b>MELTING POINT APP</b> Grade orcid<br>GPR/STR/4360 DT.18/10/2008   | GPR/DPH/DSR No.1/ page 51/49                | 1  | 21600  | 0  |                          |
| 49 | <b>ELECTRONIC BALANCE</b><br>Sensitivity 0.01gm,battery 09volts<br>supply with adaptor   | GPR/DPH/DSR No.1/ page 52/50                | 2  | 20000  | 2  | out of repair            |
| 50 | <b>DIGITAL ELECTRONIC BALANCE</b><br>Sensitivity 0.001gm,capacity<br>200gm GPR/STR/09/5368   | GPR/DPH/DSR No.1/ page 53/51                | 1  | 14300  | 0  |                          |
| 51 | <b>ASEPTIC CABINET</b> 95 X 50<br>X50 cm (Dolphin make)<br>GPR/WS/STR 96-97 &  | GPR/DPH/DSR No.3/ page 02/01                | 2  | 23,204 | 1  | out of repair            |
| 52 | <b>AUTO CLAVE PORTABLE</b> Dinesh<br>DPA/01 12" X 12' Complete with<br>pressure guage safety volve<br>Elect.operation 220/230v   | GPR/DPH/DSR No.3/ page 03/02                | 3  | 14976  | 2  | maintainance<br>Required |
| 53 | <b>AUTO CLAVE VERTICAL</b> DVA-<br>01 size 14" x 22" s.s.chember,<br>Electric operation,<br>11/DTE/1499/8748 dt 17/03/98   | GPR/DPH/DSR No.3/ page 04/03                | 1  | 20442  | 0  |                          |
| 54 | <b>BOTTLE FILLING MACHINE</b><br>DLPM 01, Hand operated<br>11/DTE/499/8748   | GPR/DPH/DSR No.3/ page 05/04                | 1  | 12480  | 0  |                          |
| 55 | <b>CARL FISHER titration<br/>APPARATUS</b>   | GPR/DPH/DSR No.3/ page 06/05                | 1  | 9079   | 1  | Out of repair            |
| 56 | <b>CLINICAL CENTRIFUGE</b><br>(LAB CENTRIFUGE) Complete with<br>6 x 15 ML TUBE & 6 NO. 15ML<br>Make Remi GPR/STR/1141  | GPR/DPH/DSR No.3/ page 07/06a-<br>c         | 4  | 31081  | 2  | under<br>maintainance    |
| 57 | <b>CONTINUOUS HOT EXTRACTION<br/>EQUIPMENT</b> Flask cap -<br>500ml,condensor -<br>250mmmf.Extractor cap 200ml   | GPR/DPH/DSR No.3/ page 08/07                | 1  | 790    | 0  |                          |
| 58 | <b>FITRATION EQUIPENT</b><br>GPR/WS/STR 96-97  | <b>GPR/DPH/DSR No.3/ page 10/09</b>         | 1  | 17420  | 0  |                          |

|    |   |  |   |       |   |                              |
|----|---|--|---|-------|---|------------------------------|
| 59 | <b>HOT AIR STERILISER</b> Hot air oven lab type 24"x24"x36" 11/DTE/465/8760   | GPR/DPH/DSR No.3/ page 13/12                 | 1 | 15028 | 0 |                              |
| 60 | <b>INCUBATOR</b> 18"x18"x18" & 24"x24"x24 11/DTE/560/7248 DT.24/02/1998 &   | GPR/DPH/DSR No.3/ page 14/13 and 14          | 2 | 27586 | 1 | Maintainance Required        |
| 61 | <b>LAMINAR FLOW BENCH</b> size 6"x2"x2" summica table top & Horizontal type 2"x2"x2" steel table with m.s.body & HEPA filter of efficiency for 3 tniun partical size & Provided with U.V.tube flouocent tube light & with cock gas burner MASIRDN | GPR/DPH/DSR No.3/ page 15/15 and 15a         | 2 | 84748 | 0 |                              |
| 62 | <b>MAGNETIC STIRRER</b> Electric operated with energy regulator wth Hot plate GPR/STE/445 DT.   | GPR/DPH/DSR No.3/ page 16/16                 | 1 | 2535  | 0 |                              |
| 63 | <b>MIXING VAT WITH STIRRER</b> GPR/STR/1144 DT.20/03/1999 & GPR/STR/3962 DT.18/12/2002  | <b>GPR/DPH/DSR No.3/ page 17/17 &amp; 18</b> | 2 | 7025  | 0 |                              |
| 64 | <b>MODULAR STAINLESS STEEL</b> solar steel 11/DTE/CPHK/163/97-98/08/8929 DT.21/03/1998  | GPR/DPH/DSR No.3/ page 18/19                 | 1 | 12000 | 0 |                              |
| 65 | <b>MUFFLE FURNACE</b> Horizontal Max.Temp 930 c to 1200 c with energy regulator 11/DTE/458/   | GPR/DPH/DSR No.3/ page 19/20                 | 1 | 10539 | 0 |                              |
| 66 | <b>SEALING MACHINE</b> FOR Sealling theleve bags, electrically operated, 12" long with thero knool berger system GPR/STR/4361   | GPR/DPH/DSR No.3/ page 20/21 & 21a           | 2 | 3600  | 1 | Maintainance Required        |
| 67 | <b>SURGICAL DRESSING DRUM</b> GPR/STR/1274 DT.30/03/1999  | <b>GPR/DPH/DSR No.3/ page 21/22</b>          | 1 | 1150  | 0 |                              |
| 68 | <b>VACCUUM PUMP</b> Capacity 60 liters/min DVP GPR/STR/1276A  | GPR/DPH/DSR No.3/ page 22/23                 | 2 | 20800 | 2 | Maintainance Required        |
| 69 | <b>FLAME PHOTOMETER</b> with (N.A.K.)filter & Digital display unit Model MK-III 11/DTE/CPHK/480/97-   | GPR/DPH/DSR No.3/ page 25/26                 | 1 | 19816 | 0 | write Off needed             |
| 70 | <b>MICROSCOPE (COMPOUND)</b> Deluxe Export Quality total magnification 675xeye pieces H 10XH 15X, OBJECTIVES 10X,15X  | GPR/DPH/DSR No.3/ page 26/27                 | 6 | 15240 | 0 |                              |
| 71 | <b>TABLET HARDNESS TESTER</b> ( Monsanto type) GPR/STR/1237   | GPR/DPH/DSR No.3/ page 27/28                 | 1 | 1255  | 0 |                              |
| 72 | <b>DIGITAL PH METER</b> GPR/STR/4306 DT.08/11/2005  | <b>GPR/DPH/DSR No.3/ page 28/29</b>          | 1 | 5376  | 1 |                              |
| 73 | <b>DIGITAL COLORIMETER</b> with built in liter GPR/STR/4306   |  | 1 | 6489  | 0 |                              |
| 74 | <b>Ampoule Clarity Test Eq.</b> Wooden Stand 24 inch, With magnefir GPR/WS/STR/96-97  | GPR/DPH/DSR No.2/ page 3/02 & 2a             | 2 | 10200 | 0 |                              |
| 75 | <b>Ampoule Washing Machine</b> Jet needle type, 6 stainless steel Needles GPR/WS/STR/96/97  | GPR/DPH/DSR No.2/ page 6/05                  | 1 | 9500  | 0 |                              |
| 76 | <b>Ball Mill</b> GPR/WS/STR/96/97   | <b>GPR/DPH/DSR No.2/ page 7/06</b>           | 1 | 9800  | 0 |                              |
| 77 | <b>Capsule Filling Machine</b> Hand operated Model CP100 11/DTE/471/8700 13/03/1998   | GPR/DPH/DSR No.2/ page 10/09                 | 2 | 35000 | 1 | maintainance required        |
| 78 | Double Punch Tab Machine 11/DTE/167/8926 2103/1998  | GPR/DPH/DSR No.2/ page 15/14                 | 1 | 15725 | 0 |                              |
| 79 | <b>Electrical water bath</b> , DWB-03 14"x10"x4"=6 hole steel thermosta 11/DTE/361305 16/03/1998  | GPR/DPH/DSR No.2/ page 16/15                 | 5 | 18200 | 5 | only kept for PCI inspection |
| 80 | Godrej Refrigerator Single door 165 Lit with stabilizer GPR/WS/STR/4570 18/11/1996  | GPR/DPH/DSR No.2/ page 21/20                 | 2 | 18750 | 2 | Write Off needed             |

|     |   |                                      |    |       |    |                            |
|-----|---|--------------------------------------|----|-------|----|----------------------------|
| 81  | HOT AIR STERILISER DHU<br>01 SS 11/DTE/523/1513<br>05/02/1998                         | GPR/DPH/DSR No.2/ page 25/24         | 1  | 8287  | 1  | maintainance<br>needed     |
| 82  | Motor Driven Disintegrater,<br>Hammer Type 1HP<br>Heavy duty motor<br>GPR/WS/STR/1370 | GPR/DPH/DSR No.2/ page 27/26         | 1  | 20000 | 1  | write Off needed           |
| 83  | Humidifier, Dinesh Make model<br>11/DTE/483/8764<br>12/03/1998                        | GPR/DPH/DSR No.2/ page 30/29         | 1  | 53914 | 0  |                            |
| 84  | Suppositry mould six hole<br>GPR/STR/1141   | GPR/DPH/DSR No.2/ page 31/30         | 35 | 7825  | 0  |                            |
| 85  | Tablet Counting Pan unit<br>GPR/WS/STR/9697 GPR/STR/396<br>18/11/02                   | GPR/DPH/DSR No.2/ page 34/33         | 1  | 22000 | 0  |                            |
| 86  | Morter & pester 4"  |                                      | 40 | 3660  | 5  | Breakage                   |
| 87  | Tablet hardness tester<br>(pfizer) DTE/233/8931<br>30/03/99                           | GPR/DPH/DSR No.2/ page 38/37         | 3  | 17750 | 2  | write<br>Off needed        |
| 88  | Tablet m/c Hand operated<br>GPR/WS/STR 96-97<br>11/DTE/474<br>Date: 12/03/1998        | GPR/DPH/DSR No.2/ page 39/38         | 2  | 37573 | 0  |                            |
| 89  | Tablet polishing pan of<br>mild steel inner dia.12"x8"<br>GPR/WS/STR/354              | GPR/DPH/DSR No.2/ page 40/39         | 1  | 5000  | 0  |                            |
| 90  | Tincture Press GPR/WS/STR 96-97   | GPR/DPH/DSR No.2/ page 41/40         | 1  | 9200  | 0  |                            |
| 91  | Thermostatic tablet<br>Dintregation test apparatus<br>GPR/STR/749                     | GPR/DPH/DSR No.2/ page 48/47         | 1  | 19920 | 0  |                            |
| 92  | Collapsible Tube filling m/c<br>GPR/STR/3959 GPR/STR/4305<br>08/11/2005               | GPR/DPH/DSR No.2/ page 50/49         | 1  | 10140 | 1  | Kept for<br>inspection     |
| 93  | Over Head Projector   | GPR/DPH/DSR No.2/ page 53/52         | 1  | 7598  | 1  | Out of repair              |
| 94  | Over head Projector<br>screen plastic GPR/STR/4360<br>18/10/08                        | GPR/DPH/DSR No.2/ page 54/53         | 1  | 4249  | 0  |                            |
| 95  | Activity Cage<br>(Acetophotometer)<br>DTE/518/5460                                    | GPR/DPH/DSR No.4/ page 02/01         | 1  | 15500 | 0  |                            |
| 96  | Analgesiometer mark<br>GPT/STR/1364   | GPR/DPH/DSR No.4/ page 04/03 &<br>3a | 2  | 38318 | 0  |                            |
| 97  | Animals Cage Size-290x200x140<br>mm (plastic) GPT/STR/1140<br>27/03/97                | GPR/DPH/DSR No.4/ page 05/04         | 10 | 9810  | 0  |                            |
| 98  | Camera Lucida 11/DTE/456<br>21/03/98  | GPR/DPH/DSR No.4/ page 09/08         | 1  | 11232 | 0  |                            |
| 99  | ble Unit Organ Bath GPR/WS/str 96   | GPR/DPH/DSR No.4/ page 13/12         | 1  | 10800 | 0  |                            |
| 100 | Electro Convasometer<br>11/dte/519/5468   | GPR/DPH/DSR No.4/ page 17/16         | 1  | 11482 | 0  |                            |
| 101 | Haemocytometer 11/DTE/457<br>12/05/98   | GPR/DPH/DSR No.4/ page 23/22         | 17 | 13238 | 5  | Blood clog<br>and Breakage |
| 102 | Hemogl Obinometer<br>11/DTE/515/5432  | GPR/DPH/DSR No.4/ page 24/23         | 30 | 18030 | 5  | Out of repair              |
| 103 | Histamine Chember 11/DTE/5470<br>20/02/98   | GPR/DPH/DSR No.4/ page 25/24         | 1  | 12056 | 0  |                            |
| 104 | Laboratory<br>Microscope Medical 11/DTE/cphk<br>/460/97-98                            | GPR/DPH/DSR No.4/ page 28/27         | 20 | 69040 | 10 | out of repair              |
| 105 | Microkjeldhal Dige.&<br>Disti.Assembly 11/STE/208/9899                                | GPR/DPH/DSR No.4/ page 30/29         | 1  | 12350 | 0  |                            |
| 106 | Immersion Microscope 11/dte/96-   | GPR/DPH/DSR No.4/ page 35/34         | 6  | 22522 | 4  | out of repair              |
| 107 | Opration Table<br>GPR/WS/STR/96/97  | GPR/DPH/DSR No.4/ page 36/35         | 2  | 10950 | 0  |                            |
| 108 | Pole Climping App.<br>(size37x37x57) cm<br>11/dte/509/7210                            | GPR/DPH/DSR No.4/ page 40/39         | 1  | 16511 | 0  |                            |
| 109 | Rotorod Assembly<br>11/Dte/168/8860   | GPR/DPH/DSR No.4/ page 48/47         | 1  | 14227 | 0  |                            |

|     |  |                              |        |                             |   |                     |
|-----|--|------------------------------|--------|-----------------------------|---|---------------------|
| 110 | Sherington Recording Drum .<br>(Double contact arm with<br>contact block with stainless<br>spindle with screw.) 11/Dte/5/6<br>17/05/1998 | GPR/DPH/DSR No.4/ page 49/48 | 3      | 21783                       | 1 |                     |
| 111 | Student Isolated Organ<br>bath with thermostatic control<br>GPR/STR/1273<br>30/03/99   | GPR/DPH/DSR No.4/ page 54/53 | 3      | 14010                       | 0 |                     |
| 112 | Super Speed<br>Kymograph (make Model<br>mA-126 New morden Expt.)<br>11/DTE/160/8824<br>17/03/98  | GPR/DPH/DSR No.4/ page 56/55 | 1      | 74762                       | 0 |                     |
| 113 | Telethermometer Digital<br>GPR/WS/STR  | GPR/DPH/DSR No.4/ page 57/56 | 1      | 11840                       | 0 |                     |
| 114 | Universal Student<br>Kymograph GPR/WS/STR 1374<br>27/03/97   | GPR/DPH/DSR No.4/ page 59/56 | 1      | 16170                       | 0 |                     |
| 115 | HCL Make Computers<br>DTE/RC/COMP/308  | GPR/DPH/DSR No.3/ page 30/31 | 7      | 234,499                     | 5 | write Off<br>needed |
| 116 | Dell Computers 11/DTE/DLT/PC<br>/Gpra/08-09/358<br>24/02/08  | GPR/DPH/DSR No.3/ page 34/35 | 1      | 32940                       | 1 | write Off<br>needed |
| 117 | Acer Computers 11/DIT/pc/GPR/<br>9-10/83<br>Dt 28/08/09  | GPR/DPH/DSR No.3/ page 35/36 | 3      | 98820                       | 3 | write Off<br>needed |
| 118 | Computer Lenovo 11/dte/gpr Rc-<br>03/8-9/40  | GPR/DPH/DSR No.3/ page 33/34 | 4      | 119,720                     | 2 | write Off<br>needed |
| 119 | Printer Xerox phase 3117<br>GPR/STR/3667   | GPR/DPH/DSR No.3/ page 32/33 | 1      | 4500                        | 0 | write Off<br>needed |
| 120 | Epson Fx2175 Printer<br>GPR/STR/1218   | GPR/DPH/DSR No.3/ page 31/32 | 1      | 10950                       | 1 | write Off<br>needed |
| 121 | Gas Connection M.S. Pipeline<br>welding and fitting 156 ft   | GPR/DPH/DSR No.3/ page 12/11 | 156 ft | 22620                       |   |                     |
| 122 | E.C.G. machine with battery,<br>GPR/STR/830 date: 09/03/2001   | GPR/DPH/DSR No.4/ page 14/13 | 1      | 23000                       | 1 |                     |
| 123 | Student Kymograph with special<br>havy duty motor oil tapped gear,<br>GPR/WS/STR/96-97 Dt 30/03/99                                       | GPR/DPH/DSR No.4/ page 16/15 | 2      | 29870                       | 1 |                     |
| 124 | Gas Connection PT Lab<br>welding and fitting   | GPR/DPH/DSR No.4/ page 21/20 | 1 set  | 18165                       |   |                     |
| 125 | Godrej Refrigerator 165 L<br>GPR/STR/D.Pharm/1295 dt   | GPR/DPH/DSR No.4/ page 22/21 | 1      | 9850                        | 1 |                     |
| 126 | Biomedical microscope model<br>MBE6004 11/DTE/492/8918<br>Dt.21/03/98  | GPR/DPH/DSR No.4/ page 29/28 | 2      | 29500                       | 1 |                     |
| 127 | Prescription Balance<br>GPR/STR/829 Dt 09/03/2001  | GPR/DPH/DSR No.4/ page 42/41 | 40     | 17770                       |   |                     |
| 128 | Rabbit cage, GPR/STR/832/ dt. 9/3/0  | GPR/DPH/DSR No.4/ page 46/45 | 5      | 47930                       |   |                     |
| 129 | Photomicrography Dinesh DPA02<br>11/DTE/489/8812 Dt 17/3/98  | GPR/DPH/DSR No.4/ page 62/61 | 1      | 42931                       |   |                     |
| 130 | L.G. Fridge Model No.<br>1950MGE4NJ  | GPR/DPH/DSR No.4/ page 68/67 | 1      | 12200                       |   |                     |
| 131 | Students Microscope with LED<br>light  | GPR/DPH/DSR No.4/ page 68/67 | 10     | 29990                       |   |                     |
| 132 | Lenovo Desktop, Dt.07/03/01  | GPR/DPH/DSR No.5/ page 09/08 | 7      | 336000                      | 4 |                     |
| 133 | HP Laserjet printer 1020 Plus  | GPR/DPH/DSR No.5/ page 11/01 | 1      | 7334                        |   |                     |
| 134 | Panasonic DLP Projector  | GPR/DPH/DSR No.5/ page 13/01 | 1      | Transferred<br>from<br>ISTE |   |                     |
| 135 | Dell Vastro computers, Dt.04/02/201  | GPR/DPH/DSR No.5/ page 14/01 | 3      | 124258                      |   |                     |
| 136 | HP Desktop, GEMC,  | GPR/DPH/DSR No.5/ page 14/01 | 4      | 187966                      |   |                     |